

Endorse 4: D3

AL MINISTERO DELL'INDUSTRIA DEL COMMERCIO E DELL'ARTIGIANATO
UFFICIO ITALIANO BREVETTI E MARCHE - ROMA
COMANDA DI BREVETTO PER INVENZIONE INDUSTRIALE DEPOSITO RISERVE ANTICIPATA ACCORDATA

1. RICHIEDENTE (I)
a) Designazione
b) Indirizzo
c) Qualificazione
d) Residenza

2. RAPPRESENTANTE DEL RICHIEDENTE PRESSO L'U.I.M.
cognome e nome: BENEDETTI GIANLUCA
domicilio studio di appartenenza
di BRUNO BUOZZI
c) domicilio elettivo dell'inventore
di
di cui è proprietario (se applicabile)
di cui è co-proprietario

3. TITOLO
METODO DI PREPARAZIONE ISTANTANEA DI VERNICI E PITTURE

4. ANTICIPATA ACCREDITAZIONE AL PUBBLICO: SI NO
a) INVENTORI DICHIARATI
b) PRIORITÀ
c) CENTRO SCELTO PER LA COLLEZIONE DI BREVETTI (INDICARE IL CANTONE E IL CANTONIERE)
d) APPROVAZIONI SPECIALI

5. DOCUMENTAZIONE ALLEGATA
a) 1
b) 2
c) 3
d) 4
e) 5
f) 6
g) 7
h) 8
i) 9
l) 10
m) 11
n) 12
o) 13
p) 14
q) 15
r) 16
s) 17
t) 18
u) 19
v) 20
w) 21
x) 22
y) 23
z) 24
aa) 25
ab) 26
ac) 27
ad) 28
ae) 29
af) 30
ag) 31
ah) 32
ai) 33
aj) 34
ak) 35
al) 36
am) 37
an) 38
ao) 39
ap) 40
aq) 41
ar) 42
as) 43
at) 44
au) 45
av) 46
aw) 47
ax) 48
ay) 49
az) 50
ba) 51
bb) 52
bc) 53
bd) 54
be) 55
bf) 56
bg) 57
bh) 58
bi) 59
bj) 60
bk) 61
bl) 62
bm) 63
bn) 64
bo) 65
bp) 66
bq) 67
br) 68
bs) 69
bt) 70
bu) 71
bv) 72
bw) 73
bx) 74
by) 75
bz) 76
ca) 77
cb) 78
cc) 79
cd) 80
ce) 81
cf) 82
cg) 83
ch) 84
ci) 85
cj) 86
ck) 87
cl) 88
cm) 89
cn) 90
co) 91
cp) 92
cq) 93
cr) 94
cs) 95
ct) 96
cu) 97
cv) 98
cw) 99
cx) 100
cy) 101
cz) 102
da) 103
db) 104
dc) 105
dd) 106
de) 107
df) 108
dg) 109
dh) 110
di) 111
dj) 112
dk) 113
dl) 114
dm) 115
dn) 116
do) 117
dp) 118
dq) 119
dr) 120
ds) 121
dt) 122
du) 123
dv) 124
dw) 125
dx) 126
dy) 127
dz) 128
ea) 129
eb) 130
ec) 131
ed) 132
ee) 133
ef) 134
eg) 135
eh) 136
ei) 137
ej) 138
ek) 139
el) 140
em) 141
en) 142
eo) 143
ep) 144
eq) 145
er) 146
es) 147
et) 148
eu) 149
ev) 150
ew) 151
ex) 152
ey) 153
ez) 154
fa) 155
fb) 156
fc) 157
fd) 158
fe) 159
ff) 160
fg) 161
fh) 162
fi) 163
fj) 164
fk) 165
fl) 166
fm) 167
fn) 168
fo) 169
fp) 170
fq) 171
fr) 172
fs) 173
ft) 174
fu) 175
fv) 176
fw) 177
fx) 178
fy) 179
fz) 180
ga) 181
gb) 182
gc) 183
gd) 184
ge) 185
gf) 186
gg) 187
gh) 188
gi) 189
gj) 190
gk) 191
gl) 192
gm) 193
gn) 194
go) 195
gp) 196
gq) 197
gr) 198
gs) 199
gt) 200
gu) 201
gv) 202
gw) 203
gx) 204
gy) 205
gz) 206
ha) 207
hb) 208
hc) 209
hd) 210
he) 211
hf) 212
hg) 213
hh) 214
hi) 215
hj) 216
hk) 217
hl) 218
hm) 219
hn) 220
ho) 221
hp) 222
hq) 223
hr) 224
hs) 225
ht) 226
hu) 227
hv) 228
hw) 229
hx) 230
hy) 231
hz) 232
ia) 233
ib) 234
ic) 235
id) 236
ie) 237
if) 238
ig) 239
ih) 240
ii) 241
ij) 242
ik) 243
il) 244
im) 245
in) 246
io) 247
ip) 248
iq) 249
ir) 250
is) 251
it) 252
iu) 253
iv) 254
iw) 255
ix) 256
iy) 257
iz) 258
ja) 259
jb) 260
jc) 261
jd) 262
je) 263
jf) 264
jg) 265
jh) 266
ji) 267
jj) 268
jk) 269
jl) 270
jm) 271
jn) 272
jo) 273
jp) 274
jq) 275
jr) 276
js) 277
jt) 278
ju) 279
jv) 280
jw) 281
jx) 282
jy) 283
jz) 284
ka) 285
kb) 286
kc) 287
kd) 288
ke) 289
kf) 290
kg) 291
kh) 292
ki) 293
kj) 294
kk) 295
kl) 296
km) 297
kn) 298
ko) 299
kp) 300
kq) 301
kr) 302
ks) 303
kt) 304
ku) 305
kv) 306
kw) 307
kx) 308
ky) 309
kz) 310
la) 311
lb) 312
lc) 313
ld) 314
le) 315
lf) 316
lg) 317
lh) 318
li) 319
lj) 320
lk) 321
ll) 322
lm) 323
ln) 324
lo) 325
lp) 326
lq) 327
lr) 328
ls) 329
lt) 330
lu) 331
lv) 332
lw) 333
lx) 334
ly) 335
lz) 336
ma) 337
mb) 338
mc) 339
md) 340
me) 341
mf) 342
mg) 343
mh) 344
mi) 345
mj) 346
mk) 347
ml) 348
mm) 349
mn) 350
mo) 351
mp) 352
mq) 353
mr) 354
ms) 355
mt) 356
mu) 357
mv) 358
mw) 359
mx) 360
my) 361
mz) 362
na) 363
nb) 364
nc) 365
nd) 366
ne) 367
nf) 368
ng) 369
nh) 370
ni) 371
nj) 372
nk) 373
nl) 374
nm) 375
nn) 376
no) 377
np) 378
nq) 379
nr) 380
ns) 381
nt) 382
nu) 383
nv) 384
nw) 385
nx) 386
ny) 387
nz) 388
oa) 389
ob) 390
oc) 391
od) 392
oe) 393
of) 394
og) 395
oh) 396
oi) 397
oj) 398
ok) 399
ol) 400
om) 401
on) 402
oo) 403
op) 404
oq) 405
or) 406
os) 407
ot) 408
ou) 409
ov) 410
ow) 411
ox) 412
oy) 413
oz) 414
pa) 415
pb) 416
pc) 417
pd) 418
pe) 419
pf) 420
pg) 421
ph) 422
pi) 423
pj) 424
pk) 425
pl) 426
pm) 427
pn) 428
po) 429
pp) 430
pq) 431
pr) 432
ps) 433
pt) 434
pu) 435
pv) 436
pw) 437
px) 438
py) 439
pz) 440
qa) 441
qb) 442
qc) 443
qd) 444
qe) 445
qf) 446
qg) 447
qh) 448
qi) 449
qj) 450
qk) 451
ql) 452
qm) 453
qn) 454
qo) 455
qp) 456
qq) 457
qr) 458
qs) 459
qt) 460
qu) 461
qv) 462
qw) 463
qx) 464
qy) 465
qz) 466
ra) 467
rb) 468
rc) 469
rd) 470
re) 471
rf) 472
rg) 473
rh) 474
ri) 475
rj) 476
rk) 477
rl) 478
rm) 479
rn) 480
ro) 481
rp) 482
rq) 4

UFFICIO PROVINCIALE IM. COMM. ART. DI PESARO E URBINO
VERBALE DI DEPOSITO NUMERO DI COMANDA PESRA000005
L'anno del nostro NOVAOTTO
Il giorno VENTITRE.
del mese di FEBBRAIO
L'AMMORTAMENTO VARE DELLA UFFICINA NOVAOTTO
In data 19/2/1919

IL DEPOSITANTE
P. Bonelli



Piedra Blanca

BEST AVAILABLE COPY

D3, English
translation

Page 2

DESCRIPTION

accompanying the application for the patent for industrial invention having as object and

TITLE

Method for the instantaneous preparation of matt and gloss paint (1)

In the name of Colorificio Adriatico s.r.l. company, Italian joint-stock company, having the head office at 86 Pilone street, Lucrezia di Cartoceto, province of Pesaro, 61030, tax code 00150130417, at the presence of the legal representative Mr. Paolo Marchionni:

- appointed inventor Mr. Paolo Marchionni, born in Fano, province of Pesaro, the 10th of February 1943, residing at 14 Caprera Street, Fano, province of Pesaro, 61032, tax code MRC PLA 43B10 D4881;
- by means of representative Gianluca Benedetti, lawyer in Pesaro, residing at the Pedrini & Benedetti Patent Office at 63 Bruno Buozzi Street, Pesaro, 61100.

Given in date 23 February 1998 with

1) in Italian "VERNICI E PITTURE". There are different interpretation for these terms : one could be solvent and water-based paint, but the most common is gloss paint for "vernici" and matt paint for "pitture".

SUMMARY

Method of instantaneous preparation of matt and gloss paint paints including the preparation, in case of necessity, of bases by the guided dosage of related components and by the addition of colorants.

DETAILED DESCRIPTION

- In the retailing of matt and gloss paints and similar it is already known the technique of preparing, in the case of necessity, the colours and chromatic tonalities required by the customers (tinting), (2)
- Such technique allows retailers variety without requiring large amounts of in-house stock, with consequent advantages with regards to undelivered goods, space allocation and other things.

Identification of the specific technical problem

- Such technique, however, relieves only the burden regarding the retailers' stock, because the "bases" of matt and gloss paints - understood as substances and amalgam, chromatically neutral or less, diversified in chemical and/or physical peculiarities and/or components' proportion, which are used for giving the product all further characteristics and specialities of application and superficial appearance as regards the chromaticity - these are, in any event, a considerable plurality, so that the retailer is obliged to keep a suitable supply of all "bases", each in the relative multiplicity of different packaging for the amounts used.

2) these sentences describe the standard tinting technique: a specific shade chosen from a color card (or fendec) is reproduced by adding the appropriate colorants in the right doses.

Purposes of this invention

The purpose of this invention is therefore to provide a suitable technique to further limit the amount of associated goods that retailers of gloss and paints are required to maintain.

- Another purpose of the present invention is that of achieving the previous purpose through a technique which is easily and quickly executed.
- Another purpose of this invention is the achievement of the previous purposes through a technique suitable to be adopted in the widest possible sphere of application, as well as congenial to the needs of polyvalence and modularity which are in use in the specific sector.
- A further purpose of the present invention is the achievement of the previous purposes with devices easy to fabricate and execute.
- A further purpose of the present invention is the achievement of the previous purposes through an efficient technique, which can surely be carried out with a relatively low cost in comparison to the results achieved previously in practical application.

Summary of the realisation or execution of the method

- These and other further purposes are all achieved by the method of preparation of instantaneous matt and gloss paint , according to the present invention, including the preparation, in case of necessity, of bases by the guided dosage of related components and by the addition of colorants

Identification of the enclosed drawings

- Further characteristics and advantages of the method according the present invention will appear more evident by the following detailed description, regarding an example of realisation preferred but not exclusive, reported with the only purpose to be illustrative and not restrictive to a device of a relative carrying out schematically illustrated in the only table of drawings enclosed (3)

(3) this part is absolutely not clear also in the original Italian release.

An example describing the realisation of the method

- The method, according to the present invention, contemplates the preparation of the same bases by the retailers themselves, instead of the acquisition and storing, on the part of the retailers, of bases for matt and gloss paints prepared in advance, pre-produced bases that are in the considerable multiplicity of quantities and characteristics as well as for the assortment of packages of different quantities;
- In case of necessity, the method gives to retailers the fundamentals components of bases and relative additives, which are in a reduced quantity and from whose different combinations and proportions originates in substance all the bases of usual use and commercial availability, or anyway the majority of these;
- to retailers is also given a handbook concerning combinations, proportions and mixing of the given constituents and relative additives in order to get the various base preparations for the composition of matt and gloss paints;
- to those bases can be added the colorants to reach the required different nuances, following the pantone instructions.
- the method described above can be executed with the sample device represented in the last table here enclosed:
- In this table there is illustrated, in a basic schematic, the plan of a selling counter, in which on one side operate those assigned to the selling, while on the other are the customers;
- the counter has 20 containers or tanks, conceptually further divisible into two groups, the first six to contain the bases and the remaining fourteen to contain additives and colorants pastes. The details follow:
- The number 1 and 2 indicate two containers or tanks of larger dimensions, preferably made in fiber glass (vetroresina), intended to contain the most frequently used constituent bases, for example the "simple neutral" and "quartz neutral" bases;
- The numbers 3 to 6 indicate four containers or tanks of smaller dimensions, intended to contain further components, for example "extender", "transparent acrylic binder", "styrol-acrylic binder" and "vinil-versatic binder".
- Concerning the second group of containers, the number 7 indicates the largest container or tank of this group, to be used for the fundamental colouring paste, the most used one, that is "white

pastacolour”;

- The numbers 8 to 12 indicate four additional smaller containers or tanks, the first intended to contain another fundamental colouring paste commonly used, “pastacolor yellow ocre”, and the other four further additives, for example “silicate”, CR - SB solution (4)”, “lime” and “silossanic additive”;
- The numbers 13 to 20 indicate the last eight containers or tanks, of even smaller dimensions, intended to contain further fundamental colourings, for example “ red pastacolor”, “blue pastacolor”, “orange pastacolor” “titanium red pastacolor”, “yellow pastacolor”, “black pastacolor” “titanium yellow pastacolor” and “green pastacolor”.
- The structure is then completed by a distribution head, schematically illustrated and indicated by the number 21, understood to be equipped with dosing device connected to pipes which pump from each container or tank numbered by 1 to 20.

Alternatives in execution or realisation

It is obvious that alternative forms of execution or realisation within the innovative concept described above by means of example and claimed below exist; the method according to the present invention can be carried out with different and further bases, additives and colorants and executed by devices which include technical and mechanical equivalents equipped with further integrative devices and with modifications of the relative constituents varied in a suitable way to achieve the same aim.

Advantages of the invention

- As is evident from the above mentioned detailed description , the method according to the present invention offers the advantages corresponding to the achievement of the wanted aims and more. It integrates, in fact, an easily executed technique to contain the necessary but large assortment of supplies required by retailers of matt and gloss paint and similar

(4) this solution is not so well defined and there are no further details in other parts of the patent.

Sphere of the wanted protection (cited , referred to)

- Having described the method according the present invention with reference to a preferred form of realisation or execution, it is desirable to protect all possible forms of execution within all variants which can be achieved by the experts in the sector, that don't modify the invention sufficiently to obviate the intended aims; with this, it is intended both by the preceding descriptions and the following claims, to protect all form of execution or realisation and the variations within the concept of solution, the spirit and the aim of the invention.

CLAIMS

- 1) Method of preparation of matt and gloss paint and similar, characterised by the fact of including preparation, when necessary, of the bases by guided dosage of the respective components and by adding of colorants.
- 2) Method, as in the first claim, characterised by the fact of including the composition by retailers of mixtures and amalgams chromatically neutral or less diversified regarding chemical peculiarities and/or physical and/or of measurement of components suitable to give to gloss and matt paints and similar all the characteristics and specialities of application and further superficial appearance compared to chromaticity, through a handbook about combination, measuring and mixture of these constituents and their additives and following coloration to reach colours and nuances as instruction of pantone.
- 3) Method, as in the preceding claims, characterised by the fact of being made with base components, colouring and additive of any kind and in any assortment.
- 4) Method, as in the preceding claims, characterised by the fact of being carried out by means of a mixing bench equipped with tanks for components of bases and colours, as well as equipped with dosing and mixing devices.
- 5) Method, as in the preceding claims, characterised by the fact of being executed or realised by a sales bench supplied by multiple containers and tanks and by measuring dispensers connected to these containers and tanks.

- 6) Method, as in the preceding claims, characterised by the fact of being carried out by means of a mixing bench structured and sized in such a way as to achieve the aim herein described.
- 7) Method, as in the preceding claims, characterised by the fact of being carried out by means of a mixing bench including containers and tanks of a quality, structure and size suitable to achieving the aim.
- 8) Method, as in the preceding claims, characterised by the fact of being carried out by means of a mixing bench including containers and tanks made of any material suitable to achieving the aim.
- 9) Method, as in the preceding claims, characterised by the fact of being carried out by means of a mixing bench with measuring dispensers connected to pipes and pumps and connected with containers and tanks of any kind suitable to achieving the aim and structured to achieving the aim.
- 10) Method of preparation of matt and gloss paints in accordance with the preceding claims, substantially as described and illustrated in the design tables herein included, and for a purpose to achieve the aims specified.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.